										hange eclass	In Gla	198.					
				UU	141 111				Docus			9	1	2			
		$-\times$	NSRB	TION	MEIN	CT/C	NEUTION		33. C	7,10	ivis c	MA	<u> </u>				
	CHIL	DC 20	cn $xr$	n un	c riv	cr ba	oʻ, t	:C\$C	lave	been	no de	molit	lons	carr	bol		
a.	ុ‴ហ្សុ∂ ឈាំ ១	ntceq	and m	io an eto a	. over rches	all-le Lond	cagta Sunte	of 5	tor: O	ers. f siz	The	e are	Gire	ro-			
									12.00	,	·			-			
	100			· .	3.30						1. 1. 1.	oss t	he br	idge			
						19.4											
	17.T.CIC	20											• •				
b.	The	brid	18.5					lould	nr, to	rá.ve	o a re	acway	four	mot	ers		
	4)	Timbo other	er bal	ks on nath	i ilo 3.5 m	e at e tere	one or	nd ai	ul tho	con	rete	ibuti x	n <b>t</b> at	the			
	3)	Steel and o	l jois on tir	to or ber :	the Lles	from at th	rvorli o ro othe	of ti er or	nbor d. 1	bella engd	e neur 17 in	viened eters.	ins	ແ້ນກວ	ra. 2	)	
	10 mag.	work	01 1	DOL	balla	o budi	t on	the c	cntr	ıl pi	or of	a pro	v.ous	bri	lgo		
	(2)	TII 100	Pr Did	es at	b bho	offici	r. Ic	ne pp	3.5 n	oter	5.						
	1)	Timbe	r bal	ום סג!	ip ort	ted or	a the (	cone:	rote a	ibutn	ent a	t one	end a	ınd o	n		
	arc:	nea m	asomry	oric	:::e	17:30SC	e cent:	ral r	d str pier i	ictur ias b	e – p een u	robabl sed fo	y a t y the	s bro	sent		\$ . •
a.	Inc	ludin	g abut	nents	s. the	o brid	dro ha	is an	overs	י ז דר:	enatio	o£ 30	) meta	er's			
				es. P. secula	iver	erro	at In	11de	nt hi	53 /118	(2)						
25	Anri	1 . 1	"'par "	053						•	. 1		:.			• •	
EDPROI	ouchon	OF THIS PC	onu io puoi	IBITED.				•			-		*		-	50X	1-HUN
Contain Stayes ( 82. As a 15 Lu any	dinform Mended. Mended.	ATION APPE BE MEADING TO AN ON WE NA OT	CTING THE S OF THE B IMPESION OF AUTHORIZES	ATIONAL I SPIONACE THE REV PERSON	DEFENSE ACT 90 ELATION 16 PRO-			THIS	IS UI	VEVAL	_UATEI	) INFO	RMATI	ON			
												•		<u></u>			
)	<u> </u>		<u> </u>	<u></u>	<u> </u>				· .		NO.	OF ENO	OLS.			50X	1-HUM
Ro. an	ad ar	nd Rai	ll Dri Oder	dges -Spre	ovor e Car	the R	ivor:	ærre	i		NO.	OF PAC	ES	3			
		1.00	vijih de		).						DAT:	DISTI	2 27	OCT	81		
。 表 : 5 :			1841	" ( <u>)</u> }					30 R	1	CD I	10.					
	Do din  Dorrange of the service of t	Pond and and over and	Doad and Rad and over the and o	Deriany (Design  Road and Rail Dri and over the Oder  and	Derzazy (Juscian Jope  Road and Rail Bridges and over the Oder-Spread and over the Oder-Spread and over the Oder-Spread and over the Oder-Spread and street and of the Serious of the Seri	Derrany (Inselan Icpe)  Road and Rail Bridges ever and over the Oder-Spree Car and over the Oder-Spree Car are some and over the Oder-Spree Car are some series and any series of the River are ladding abutments, the It is brilt on the site are led masonry bridge bridge. The spans are bridge. The spans are limited masonry bridge are bridge. The spans are limited masonry bridge bridge. The spans are limited masonry bridge are bridge. The spans are limited masonry bridge are bridge. The spans are limited masonry bridge are limited bridge in the same of the conternation of the bridge is decked with wide.  2) Steel joints on the and on the limited are like are no speed or we have a margine and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches an angle and has an over lafered concrete arches and angle and has an over lafered concrete arches and angle and has an over lafered concrete arches and angle and has an over lafered concrete arches and angle and has an over lafered concrete arches and angle and has an over lafered lafered lafered lafered lafered lafered lafered lafered lafered la	SECURITY IN  Servary (Aussian lope)  Road and Rail Bridges over the and over the Oder-Spree Ganal  and over the Oder-Spree Ganal  A season of the statement of	SECURITY INFORMAT  Servary (Aussian leps)  Road and Rail Bridges over the River and over the Oder-Spree Canal.  25 April - 3 May 1951  Road Bridge over the River erra at the Bridge has bridge. The spans are as follows:  1. Timber balks supported on the timber piles at the other. In the other piles at the other.  3) Steel joints supported on timber piles at the other. In the other piles at the other.  4) Timber balks on the freework and on timber piles at the other.  4) Timber balks on the freework and on timber piles at the other.  4) Timber balks on the freework and on timber piles at the other. In the other, In the other, I have a the other wide.  6. The bridge is decked with timber piles. The bridge is decked with timber piles at the other wide.  6. The bridge is decked with timber piles.  6. The bridge, which carries a shift can and an and has an overall length for the second concrete arches, each with an and the seen from the river bar, it can be seen fro	SECURITY INFORMATION  Serving (Aussian Lope)  Road and Rail Bridges over the River Jerry and over the Cder-Spree Canal.  This desired are the Resonance of the River Jerry and over the Cder-Spree Canal.  25 April - 3 May 1951  Road Bridge over the River Jerra at Malido  a. Including abutments, the bridge has an It is brilt on the site of a denolished arched masonry bridge - whose central porders.  1) Timber balls supported on the cone: timber piles at the other. Longth work of the bridge at the other. Longth Torters.  3) Steel joints supported on the cone at the other. Longth 7 reters.  3) Steel joints on the Transvert of the and on timber piles at the other of the cone other. Longth 7 setters.  4) Timber balls on alles at one one and other. Longth 1 spiles of the other of the bridge is decked with timber plants wide.  c. The height of the dock above the nerval of the angle and has an overall learth of Information of the proceed concrete arches, each with a same on the seen from the river bar, there are no the stretches.  CLASSIFICTION STATUS - TANKER AND	Security information  This is under a security in the information of the security information in the security in the security information in the security in t	Donal and Bail Bridges over the River Aerna and over the Oder-Spree Canal  This is Unevaluate and the Oder-Spree Canal  This is unit on the Siver error at Malldorf (USI/ME)  a. Including abuttoents, the bridge has an overall I are not on the site of a denolished structure are including abuttoents, the bridge has an overall I are not on the point of the open are as follows:  1) Timber balks supported on the concrete abute thinker piles at the other. Longth 7 neters.  2) Steel jeists supported on the concrete abute the other. Longth 7 neters.  3) Steel jeists on the freework of theber balk and on the priles at the other one. Longth 4. Timber balks on illes at the other one. Longth 4. Timber balks on illes at one one and the concrete abute the other. Longth 3.5 meters.  b. The bridge is docked with timber planking to give wide.  c. The height of the dock above the nerval level of d. There are no speed or wight restrictions in for wide.  The bridge over the River ferra at accuran (USI/ME) an angle and has an overall learth of 50 meters. Andered concrete arches, each with a spen of size an each secon from the river bar, there have been out on the structure.  CLASSIFICATION STAT/SCHEEL - 1.5. COLIDER ARE FEB 1987.	Security (Ausolan Lepo)  Doad and Rail Bridges over the River forms and over the Coer-Spree Canal  NO. 1  NO. 1  NO. 1  NO. 1  Supplementary (Supplementary of the River form at Supplementary of the Supplementary of Supplementa	SECURITY INFORMATION  Servary (Justian 1990)  Doad and Sail Bridges over the River Jerra and Security (Justian 1990)  NO. OF PACKAGE AND ADDRESS OF THE REPORT NO SUPPLEMENT REPO	SECURITY INFORMATION  SECURITY (Ausolan 20pc)  DATE DISTR ST  Those and Tail Bridges over the River were and over the Oder-Spree Canal.  NO. OF PAGES  SUPPLEMENT TO REPORT NO.  SUPPLEMENT TO REPORT NO.  THIS IS UNEVALUATED INFORMATION AND AND AND AND ADDRESS THE COLOR OF THE PAGE OF TH	Security (Associan tops)  DAM DETR STOCK  Road and Rail Bridges over the River Arra and over the Oder-Spree Canal  NO. OF FACES 3  NO. OF FACES 3  NO. OF FACES 3  SUPPLEMENT TO REPORT NO.  SUPPLEMENT TO REPORT NO.  THIS IS UNEVALUATED INFORMATION  THIS IS UNEVALUATED INFORMATION  THIS IS UNEVALUATED INFORMATION  This bridge over the River erre at Walldorf (USI/NE2).  a. Including abstracts, the bridge has an overall length of 30 meters.  It is brill on the site of a decelerated structure - probably a top- acrical ansomy bridge - whose entural pier has been used for the pre bridge. The spans are as follows:  1) This bridge but be supported on the concrete abstract at one end and o  this prices are no speed on this priles at one end and on a frace with cf the bulks built on the control pier of a previous bridge at the other. Longth 7 returns  3) Steel joints on the fraceword of timber bulks confidence in subra- and on this priles at the other only, Length 7 returns.  4) This bridge is declad with timber planking to rave a readway four meta- wide.  5. The bridge is declad with timber planking to rave a readway four meta- wide.  6. The beings which carries a civile vulled timely encoses the bridge  Reil bridge over the River area at course fire re- an angle and has an overall length of 30 meters.  CLASSIFICTION  PERMITTING AREA  CLASSIFICTION  PERMITTING AREA  CLASSIFICTION  PERMITTING AREA  CLASSIFICTION  PERMITTING AREA  CLASSIFICTION  PERMITTING  THIS IS UNEVALUATED INFORMATION  NO. OF FACES  SUPPLEMENT TO  REPORT NO.  THIS IS UNEVALUATED INFORMATION  THI	DATE OF THE ST OCT SI  DONAL AND DETERMINED STREET STORY STATES AND DETERMINED STATES AND DETERMINED STREET STATES AND DETERMINED STATES. AND DETERMINED STATES AND DETERMINED STATES AND DETERMINED S	SECURITY INFORMATION  SET ALL (Austin Total)  DATE DISTP ST SCT S1  And and This Indicator over the fliver form  and over the Oder-Spree Canal  NO. OF PAGES 3  NO. OF PAGES 3  NO. OF PAGES 3  NO. OF PAGES 3  SUPPLEMENT TO REPORT NO.  SUPPLEMENT TO REPORT NO.  THIS IS UNEVALUATED INFORMATION  25 April - 3 May 1951  Road Bridge over the fliver error at falldorf (CDI/NC2).  a. Including abstracts, the bridge has an overall length of 30 meters.  It is brilt on the cite of a denolished structure - probably a ton-arched accomply bridge, whose central pier has been used for the present bridge.  1) This realism on orted on the concrete abstract at one and on this tributy rides at the other. Length 3.5 meters.  2) Steel jeists on the freezeword of these belts nonelened in subject at the other length 3.5 meters.  3) Steel jeists on the freezeword of these belts nonelened in subject at the other. Length 3.5 meters.  4) This bridge is decised with this or plantage to the convert abstract at the other. Length 3.5 meters.  4) The bridge is decised with this or plantage to the river is 3.5 meters.  4) The bridge is decised with this or plantage the five river is 3.5 meters.  5) The bridge is decised with this or plantage the five river is 3.5 meters.  The bridge is decised with this or plantage the five river is 3.5 meters.  The bridge for the River form at army in form a readway four meters wide.  The bridge over the River form at army in form a readway four meters wide.  The bridge over the River form at army in form a readway four meters are no opened or unified realised tracks preases the river at an army and army form of the river at an army and army form of the river at an army and army form of the river at any and army army form of the river at a ready form of the river at any army and army form of the river at a ready

Declassified in Part - Sanitized Copy Approved for Release 2011/11/15 : CIA-RDP82-00457R008800510013-9

SECRET/CONTROJ. - U.S. OFFICIALS ONLY

50X1-HUM

CENTRAL INTELLIGENCE AGENCY

--2--

- b. The height of the deck above the normal level of the river is 3.5 meters.
- 3. Road Bridge over the River Werra at Meiningen.
  - a. The bridge has a single reinforced concrete arch 13 meters long and has a width of five meters.
  - b. The height of the deck above the normal level of the river is 4.5 meters.
  - c. There are no weight or speed restrictions in face for traffic over the bridge.
- . Fad Bridge over the River Werra at Leiningen\*.
  - a. This bridge is in the center of the city and is approached from the West through a fairly narrow street, the Burggasse, and from the East through the Schoene Aussicht gardens.
  - b. Through the city of Meiningen the Werra divides into two arms, thus forming an island little more than 700 meters long. The Western arm of the river is bridged by a masonry arch with a span of six meters and the Eastern arm is crossed by two spans, one of 12 meters and one of eight meters, on steel joists. The Eastern span is, in fact, part of a weir which provides water for a millrace.
  - c. There is an asphalt roadway four meters wide over the two parts of the bridge and the intervening island.
  - d. The height of the deck of the two bridges above the normal level of the river is 2.5 meters.
  - e. There are no weight or speed restrictions in force for traffic over the bridges.
- 5. Road Bridge over the River Worra at Meiningen,
  - a. This bridge is called Freiheitsbrücke and, according to a plaque in its center, was rebuilt in 1950. It is a reinforced concrete structure consisting of a central span lh meters long on a reinforced concrete beam, flanked by two similar spans six meters long. The abutments have been specially strengthened at both ends of the bridge. The overall length of the bridge is 35 meters.
  - b. The roadway is asphalt with a width of nine meters.
  - c. The height of the deck above the normal level of the river is 2.5 meters.
  - d. There are no restrictions in force for traffic across the bridge.

## January - May 1951

- 6. New Rail and Road Bridge over the Oder-Spree Canal near Fürstenberg/Oder.
  - a. The bridge links Fürstenberg/Oder with Schönfliess and was opened to traffic at the beginning of 1951. Its primary purpose is to facilitate communications to the Hüttenkombinat Ost now in course of construction. The bridge carries both rail and road traffic at present, but may eventually be used for rail traffic only when a road bridge, scheduled for construction close by, is completed.
  - o. The bridge-plateau is built on T-girders and paved with wooden balks. It rests at both ends on roller bearings of iron or steel, supported on concrete piers. An iron frame superstructure spans the length of the bridge on either side of the roadway, to the left and right of which are raised footpaths. A standard gauge, single track railroad line is set into the roadway.

CONFIDENTIAL

## CONFIDENTIAL

SECRET/CONTROL - U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE ACENCY

50X1-HUM

--3---

c. Dimensions:

Overall length including piers:

75.5 m (paced)

Width of roadway:

8.3 m

Width of footpaths, each:

1.2 m

Height above water level:

6...7 m

d. Marshalling yards for Hüttenkombinat Ost are being constructed at the railroad station of Ziltendorf northwest of Fürstenberg.

e. The Untere Schleuse lock between the canal and the Oder river is partly demolished and not in use. Only the lock at the Stadthafen of Furstenberg is in working order. It is guarded by Volkspolizei.

50X1-HUM

f. A Russian motor transport workshop is located on the former Fageb (Fahrzeug und Gerätebau) premises at the Vetschau railroad station (approximately 17 km northwest of Cottbus on the Cottbus-Berlin railroad line).

The workshop, which employs a mixed Russian and German staff, deals with construction and repairs of military transport

50X1-HUM

vehicles only, not armored vehicles.

50X1-HUM

Comment: This bridge provides an alternative route between Reichstrasse 280 and Reichstrasse 19 to the bridge described in para. 3.

CONFIDENTIAL

SECRET/CONTROL - U.S. OFFICIALS ONLY